












































































































A Solution for Every Access Point...and Every Budget.






E-Plex® PowerPlex	P2000	E1500	E2000	E3000	E3200	E5000 / E5070	E5200 / E5270
ACCESS CREDENTIALS							
NUMBER OF ACCESS CODES	 100 CODES	 100 CODES	 100 CODES	 300 CODES	 3,000 CODES	 100/300* CODES	 3,000 CODES
LOCKING DEVICE OPTIONS							
KEY OVERRIDE	 LFIC K-I-L NO KEY OVERRIDE		 LFIC K-I-L NO KEY OVERRIDE	 REPLACEABLE MORTISE CYLINDER	 REPLACEABLE MORTISE CYLINDER	 LFIC, LFIC K-I-L	 LFIC, LFIC K-I-L
CERTIFICATIONS	 BHMA CERTIFIED GRADE 1	 BHMA GRADE 2	 BHMA CERTIFIED GRADE 1			 BHMA CERTIFIED GRADE 1	 BHMA CERTIFIED GRADE 1
OPTIONS	 THUMBTURN		 THUMBTURN	 THUMBTURN REMOTE RELEASE	 THUMBTURN REMOTE RELEASE	 PRIVACY KNOB ENTRY/EGRESS REMOTE RELEASE	 PRIVACY KNOB ENTRY/EGRESS REMOTE RELEASE
SOFTWARE PROGRAMMING	 OPTIONAL	 OPTIONAL	 OPTIONAL	 OPTIONAL	 REQUIRED	 OPTIONAL	 OPTIONAL
AUDIT CAPABILITIES*	 1,000 EVENTS	 1,000 EVENTS	 1,000 EVENTS	 9,000 EVENTS	 30,000 EVENTS	 9,000 EVENTS	 30,000 EVENTS
ACCESS SCHEDULES*					 SCHEDULES		 SCHEDULES

A Solution for Every Access Point...and Every Budget.

E-Plex®	E3600  Smart Cards	E3700  PROX BY HID	E5600 / 5670  Smart Cards	E5700 / E5770  PROX BY HID	E5800 / E5870 
ACCESS CREDENTIALS					
NUMBER OF ACCESS CODES	 3,000 CODES/CARDS	 3,000 CODES/CARDS	 3,000 CODES/CARDS	 3,000 CODES/CARDS	 3,000 CODES/CARDS
LOCKING DEVICE OPTIONS					
KEY OVERRIDE	 REPLACEABLE MORTISE CYLINDER	 REPLACEABLE MORTISE CYLINDER	 LFIC, LFIC K-I-L	 LFIC, LFIC K-I-L	 LFIC, LFIC K-I-L
CERTIFICATIONS					
OPTIONS					
SOFTWARE PROGRAMMING	 OPTIONAL	 OPTIONAL	 OPTIONAL	 OPTIONAL	 OPTIONAL
AUDIT CAPABILITIES	 30,000 EVENTS	 30,000 EVENTS	 30,000 EVENTS	 30,000 EVENTS	 30,000 EVENTS
ACCESS SCHEDULES	 SCHEDULES	 SCHEDULES	 SCHEDULES	 SCHEDULES	 SCHEDULES

E-Plex® • PowerPlex
Electronic Access Control
PIN-Based Products

		E1500	E2000	P2000	E3000	E3200	E5000 E5070	E5200 E5270
CREDENTIALS	PIN Access	✓	✓	✓	✓	✓	✓	✓
	Dual Credential Access							
	125 kHz Prox Card							
	13.56 MHz Smart Card							
	FIPs 201.1 (PIV, FRAC, TWIC, CAC)							
ACCESS USERS	100 Users per Door	✓	✓	✓			✓	
	300 Users per Door				✓		*	
	3,000 Users per Door					✓		✓
LOCKING DEVICES	Cylindrical Latch		✓	✓			✓	✓
	Mortise (ASM)		✓	✓			✓	✓
	Exit Trim		✓	✓	✓	✓	✓	✓
	AR Latch/Deadbolt (not included)				✓	✓		
	Access Controller#						✓	✓
	Auxiliary Deadbolt	✓						
POWER SRC.	PowerStar™ Available (no batteries)			✓				
	Batteries or External Power Source	✓	✓		✓	✓	✓	✓
MECHANICAL FEATURES	No Wire Installation	✓	✓	✓	✓	✓	✓	✓
	Mechanical Key Override	✓	✓	✓	✓	✓	✓	✓
	Interchangeable Core (Best)		✓	✓	✓	✓	✓	✓
	Removable Core (Large Format)						✓	✓
	Removable Mortise Cylinder				✓	✓		
	Key-in-Lever Cylinder	✓	✓	✓			✓	✓
	Non-handed	✓	✓	✓	✓	✓	✓	✓
	Indoor/Outdoor (Approved)	✓	✓	✓	✓	✓	✓	✓
	Various Finishes Available	✓	✓	✓	✓	✓	✓	✓
LOCK SETUP	Via Lock Keypad	✓	✓	✓	✓		✓	
	Via Software (Optional)	✓	✓	✓	✓		✓	
	Via Software (Required)					✓		✓
	Upgradable to Wireless Network					✓		✓
PROGRAMMING FEATURES	LearnLok™ (Enroll Cards at Lock)							
	Access Schedules*					✓		✓
	Vacation/Holiday Blocks*					✓		✓
	Programmable User Levels	✓	✓	✓	✓	✓	✓	✓
	Programmable Service Codes	✓	✓	✓	✓	✓	✓	✓
	Programmable Passage Re-Lock	✓	✓		✓	✓	✓	✓
	First Manager—In Passage*					✓		✓
	Passage Mode	✓	✓	✓	✓	✓	✓	✓
	Lockout Mode	✓	✓	✓	✓	✓	✓	✓
AUDIT	1,000 Event Audit Trail*	✓	✓	✓				
	9,000 Event Audit Trail*				✓		✓	
	30,000 Event Audit Trail*					✓		✓
WARRANTY CERTIFICATION	BHMA Grade 1 Certified		✓	✓	+	+	✓	✓
	BHMA Grade 2	✓						
	Three-hour UL/ULC Fire Rating	✓	✓	✓	N/A	N/A	✓	✓
	ADA Compliant		✓	✓	✓	✓	✓	✓
	2-Year Warranty	✓						
	3-Year Warranty		✓	✓	✓	✓	✓	✓
	Built-in Warranty Counter	✓	✓	✓	✓	✓	✓	✓
	Meets FIPS 201.1 Specification							

E-Plex® Electronic Access Control PIN-Based Products		E3600	E3700	E5600 / E5670	E5700 / E5770	E5800 / E5870
		 <small>Smart Cards</small>	 <small>PROX BY READ</small>	 <small>Smart Cards</small>	 <small>PROX BY READ</small>	
CREDENTIALS	PIN Access	✓	✓	✓	✓	✓
	Dual Credential Access	✓	✓	✓	✓	✓
	125 kHz Prox Card		✓		✓	
	13.56 MHz Smart Card	✓		✓		
	FIPs 201.1 (PIV, FRAC, TWIC, CAC)					✓
ACCESS USERS	100 Users per Door					
	300 Users per Door	✓	✓	✓	✓	✓
	3,000 Users per Door	*	*	*	*	*
LOCKING DEVICES	Cylindrical Latch			✓	✓	✓
	Mortise (ASM)			✓	✓	✓
	Exit Trim	✓	✓	✓	✓	✓
	AR Latch/Deadbolt (not included)	✓	✓			
	Access Controller#			✓	✓	✓
POWER SRC.	PowerStar™ Available (no batteries)					
	Batteries or External Power Source	✓	✓	✓	✓	✓
MECHANICAL FEATURES	No Wire Installation	✓	✓	✓	✓	✓
	Mechanical Key Override	✓	✓	✓	✓	✓
	Interchangeable Core (Best)	✓	✓	✓	✓	✓
	Removable Core (Large Format)			✓	✓	✓
	Removable Mortise Cylinder	✓	✓			
	Key-in-Lever Cylinder			✓	✓	✓
	Non-handed	✓	✓	✓	✓	✓
	Indoor/Outdoor (Approved)	✓	✓	✓	✓	✓
	Various Finishes Available	✓	✓	✓	✓	✓
LOCK SETUP	Via Lock Keypad	✓	✓	✓	✓	✓
	Via Software (Optional)	✓	✓	✓	✓	✓
	Via Software (Required)					
	Upgradable to Wireless Network	✓	✓	✓	✓	
	LearnLok™ (Enroll Cards at Lock)	✓	✓	✓	✓	✓
PROGRAMMING FEATURES	Access Schedules*	✓	✓	✓	✓	✓
	Vacation/Holiday Blocks*	✓	✓	✓	✓	✓
	Programmable User Levels	✓	✓	✓	✓	✓
	Programmable Service Codes	✓	✓	✓	✓	✓
	Programmable Passage Re-Lock	✓	✓	✓	✓	✓
	First Manager—In Passage*	✓	✓	✓	✓	✓
	Passage Mode	✓	✓	✓	✓	✓
	Lockout Mode	✓	✓	✓	✓	✓
AUDIT	9,000 Event Audit Trail*					
	30,000 Event Audit Trail*	✓	✓	✓	✓	✓
WARRANTY CERTIFICATION	BHMA Grade 1 Certified	+	+	✓	✓	✓
	Three-hour UL/ULC Fire Rating	N/A	N/A	✓	✓	✓
	ADA Compliant	✓	✓	✓	✓	✓
	3-Year Warranty	✓	✓	✓	✓	✓
	Built-in Warranty Counter	✓	✓	✓	✓	✓
	Meets FIPS 201.1 Specification					✓

* This feature requires software

Designed to work with mag locks, electric strikes, and other electronic locking devices driven by an external power supply (not included)

+ BHMA certification standard not available for this category. Product fully tested to meet all rigid life cycle test and operating reliability per BHMA Grade 1 requirements