Residential Entrance Set Solutions



- AUB Series
- Frascio Series

Commits to offer

the Best Solutions & Professional Services to all its valued customers

Content

03		ALE Series Overview			
	04	Evelyn			
05		Product Components			
	06	Ethan	Levi		
07		Aurora	Landen		
	08	Option Matrix			
09		Technical Specifications			
	10	Lydia			
11		Molly			
	12	Option Matrix			
13		Technical Specifications			
	14	Europa	Europa		
15		Product Compone	nts		
	16	Option Matrix			
17		Technical Specifications			
	18	Interior Lever	Handle - Atlas		
19		- Enrico - Pe	ertti		
21		Frascio [®] Series	s Overview		
	22	Prince of Wale	es Diva		
23		Firenze	Siena		
	24	Option Matrix			
25		Technical Specifica	ations		
Back	Cover	Job Referenc	e		





In the diverse market of building and architechure, we aim to provide a complete range of contemporary architectural door hardware, offering Architects and Designers many different concepts and finishes to suit residential interior design requirement.

To achieve this we offer different styles of Main Entrance Locksets in competitive pricing.

We Offers Best Solutions & Professional Services





Evelyn





ALK 05

Ethan



Levi



Aurora



Landen



Options Matrix



Product Description	Main Entrance Trim Set in solid forged brass, with pull handle outside and knob or lever handle inside
Brand	AUB
Model	Choose from 5 models
Press Piece	Spoon=SP; Flat=FL
Pull Handle	Choose from 5 models
Turn Piece	Fan=FN; Oval=OV; Oval w/steps=OS
Knob	Round=RD; Oval=OV; if lever (no knob needed)=NO
Lever Handle (Option)	If no Knob, then choose from lever handles
Finishes	Choose from 4 finishes
Product Description	Heavy duty American Mortise lockcase, handed, for Residential application
Standards	BS 476 Part 22
Brand	AUB
Model	Tech B
Functions	Main Entrance with escape function
Backset	70mm
Spacing	Knob hub to cylinder 91mm
	Knob hub to turnpiece 61mm
Hub	Steel, split, 8mm square
Armored Front	Steel, 203 x 32 x 3mm
Face Plate	Stainless steel, 203 x 32 x 1.6mm; various finishes
Latch Bolt	Stainless steel - 25 (H) x 16 (W) x 20 (Throw) mm; two finishes
Dead Bolt	Stainless steel - 28 (H) x 13.4 (W) x 25 (Throw) mm; two finishes
Strike Plate	Stainless steel, 124 x 32 x 2mm; various finishes
Dust Box	With dust box in black
Door Thickness	50mm or special on demand
Handing	R/L must be chosen
Product Description	Cylinder in screw in housing in brass, plated
Brand	Kaba (if Kaba cyl) or AUB (if AUB cyl)
Model	KABA = KA; high security cylinder system, patented with 3 reversible keys
	AUB = AB; security cylinder with 3 keys
Lengths	31mm / 34mm / 38mm / 40mm
Cam	Crown Cam = CW1
Finish	Cylinder and screw-in housing choose from 4 finishes, matching to Trim Set
Product Description	Lever handles in high quality design and finish
Models	Choose from 5 models for Main Entrance Trim Set
Finish	Various finishes, matching to Main Trim
Material	All models in Zinc Alloy = ZA; except Chloe = Brass and Luca & Alexis = SS
Handing	Choose R/L handing
Function	SH=single w/half spindle

Lydia





Molly



Lydia / Molly



Product Description	Main Entrance Trim set in solid forged brass, with a pair of matching lever handles outside and inside
Brand	AUB
Model	Lydia
Lever handles	Choose from 5 models as a pair; PR = pair w/half spindle
Material of levers	All models in Zinc Alloy = ZA
	Except Chloe = Brass and Luca & Alexis = SS
Handing	Choose R/L handing
Turn piece	Fan=FN; Oval=OV; Oval w/steps=OS
Finishes	Choose from 4 finishes; all components matching
Product Description	Main Entrance Trim set in solid forged brass, with matching pull handles outside and inside
Brand	AUB
Model	Molly
Press Piece	Spoon=SP; Flat=FL
Pull Handle	Choose from 5 models; as a pair
Turn piece	Fan=FN; Oval=OV; Oval w/steps=OS
Finishes	Choose from 4 finishes
Product Description	Heavy duty American Mortise lockcase, handed, for Residential application
Standards	BS 476 Part 22
Brand	AUB
Model	Tech BL for Lydia / Tech BG for Molly
Functions	Main Entrance with escape function
Backset	70mm
Spacing	Knob hub to cylinder 91mm
	Knob hub to turnpiece 61mm
Hub	Steel, split, 8mm square
Armored front	Steel, 203 x 32 x 3mm
Face plate	Stainless steel, 203 x 32 x 1.6mm; various finishes
Latch bolt	Stainless steel - 25 (H) x 16 (W) x 20 (Throw) mm; two finishes
Dead bolt	Stainless steel - 28 (H) x 13.4 (W) x 25 (Throw) mm; two finishes
Strike plate	Stainless steel, 124 x 32 x 2mm; various finishes
Dust box	With dust box in black
Door thickness	50mm or Special on demand
Product description	Cylinder in screw-in housing in brass, plated
Brand	Kaba (if Kaba cyl) or AUB (if AUB cyl)
Model	KABA = KA; high security cylinder system patented with 3 reversible keys
	AUB = AB; security cylinder with 3 keys
Lengths	31mm / 34mm / 38mm / 40mm
Cam	CW1 for Lydia / 718 for Molly
Finish	Cylinder and screw-in housing chose from 4 finishes, matching to Trim Set

Europa





Europa



Product Description

Brand Model Lever handles Lever material Handing Rose

Finish

handles, a cylinder and a turn piece
AUB
Europa
choose from 5 models, PR = pair w/ half spindle
all in Zinc Alloy; except Chloe = Brass and Luca & Alexis = SS
choose R/L handing
Y=YES, matching lever design
Fan=FNG Oval=OVG; Oval w/steps=OSG
choose from 4 finishes, matching to cylinder, guard and turn

Product Description

Turn piece w/guard

Heavy duty American Mortise lockcase, handed, for Residential

piece

Main Entrance Lever Set, European slim-design with a pair of lever

Standards	BS 476 Part 22
Brand	AUB
Model	Tech BL
Functions	Main Entrance v
Backset	70mm
Spacing	Knob hub to cy
	Knob hub to tu
Hub	Steel, split, 8mn
Armored front	Steel, 203 x 32
Face plate	Stainless steel, 2
Latch bolt	Stainless steel -
Dead bolt	Stainless steel -
Strike plate	Stainless steel, 1
Dust box	with dust box ir
Door thickness	50mm or Speci

application

Main Entrance with escape function 70mm Knob hub to cylinder 91mm Knob hub to turnpiece 61mm Steel, split, 8mm square Steel, 203 x 32 x 3mm Stainless steel, 203 x 32 x 1.6mm; various finishes Stainless steel, 203 x 32 x 1.6mm; various finishes Stainless steel, 203 x 32 x 1.6mm; various finishes Stainless steel, 203 x 32 x 1.6mm; various finishes Stainless steel, 203 x 32 x 1.6mm; various finishes Stainless steel, 203 x 32 x 1.6mm; various finishes Stainless steel, 203 x 32 x 2mm; various finishes with dust box in black 50mm or Special on demand

Product Description

Cylinder in screw-in housing in brass, plated with guard Kaba (if Kaba cyl) or AUB (if AUB cyl)

Lengths Cam Finishes

Brand

Model

KABA = KA;
high security cylinder system patented with 3 reversible keys
AUB = AB;
security cylinder with 3 keys
31mm / 34mm / 38mm / 40mm
Crown Cam = CW1
chose from 4 finishes for cylinder, screw-in housing and cylinder
guard, matching to lever handles and turn piece

Interior Lever Handles





Enrico





Lever Handles

	Series/Model	Handing	Function	Finish
Order code :	* -	**] - *** -	****
*Options	Enrico Chloe	R	PR	PC
	Peretti Allegra	L	SH	PVG
	Peretti Beatrice		DUS	BG
	Peretti Edgar			AB
	Peretti Philippa			
	Peretti Toad			
	Peretti Sanjay			
	Atlas Alexis			
	Atlas Luca			
	Atlas Ronak			
	Atlas Serena			
	Atlas Via			
	Product Descriptio	on	Lever handles in I	high quality des
	Models		12 choices for inte	erior lever hand
	Finish		PC = Polished Ch	rome; PVG = P
	Material		Peretti in Zinc All	oy; Enrico in Br
	Handing		Choose R/L hanc	ling
	Function		PR = pair	
			SH = single w/ ha	If spindle
			DUS = dummy lev	ver handle with

Frascio was founded in 1945 as small workshop. Since then, thanks to a well-planned development, evolved into the international company of today. Today Frascio boasts thousands of customers all over the world. The core business is made by the foreign market.

Frascio presents itself to the public with a fresh and attractive corporate image, and a collection of dynamic and contemporary door handles. Because renewal and progress are the conditions to keep up with time and to be really competitive. With the 2010 collection, Frascio continues its journey round the world of design. The cooperation with Roberto Semprini, Adrian Wright and Brian Sironi founded the top models of this year: they will enrich the complete new line that was created from the internal Planning Office and the Technical Development, with the usual professionalism and quality.

Open To Your World Since 1945





American Standard

Prince of Wales



Diva



Firenze



Siena



Prince of Wales



Diva



Firenze



Siena



Frascio



Technical Specifications



Product Description	Main Entrance Trim set in solid forged brass with curved pull handle outside and knob ir		hte
Brand	Frascio	iside .	Country of Origin
Model	Prince of Wales	Imported from Italy	
Lever handle (Optional)	Instead of Knob, choose from 9 Lever hand	Warranty	
Finishes	Choose from 2 finishes		Lifetime warranty on PVD Gold
			15 years warranty on PVD Satin Chrome
Product Description	Main Entrance Trim set in solid forged brass plate with pull handle outside and lever har		
Brand	Frascio		Country of Origin
Model	Siena		Imported from Italy
Leverhandles	Choose from 9 options		Warranty
Lever handle (Optional)	Instead of Lever, choose Knob as option		Lifetime warranty on PVD Gold
Finishes	choose from 4 finishes		15 years warranty on PVD Satin Chrom
Product Description	Main Entrance Trim set in solid forged brass straight line pull handle outside and lever h		ch
Brand	Frascio		Country of Origin
Model	Firenze		Imported from Italy
Leverhandles	Choose from 9 options		Warranty
Lever handle (Optional)	Instead of Lever, choose Knob as option		Lifetime warranty on PVD Gold
Finishes	Choose from 3 finishes		15 years warranty on PVD Satin Chrom
Product Description	Main Entrance Trim set in solid forged brass segmented trim with curved pull handle ou		
Brand	Frascio		Country of Origin
Model	Diva		Imported from Italy
Lever handle (Optional)	Instead of Knob, choose from 9 Lever hand	lles options	• Warranty
Finishes	Choose from 2 finishes		Lifetime warranty on PVD Gold 15 years warranty on PVD Satin Chrom
Product Description	Heavy duty American Mortise lockcase with		r
	latch bolt, reversible, for Residential applica		
Standards	latch bolt, reversible, for Residential applica ANSI / BHMA A156.13	Face plate	Forged brass, 203 x 32 x 1.6mm; various finishe
Standards		Face plate Latch bolt	Forged brass - 25 (H) x 15 (W) x 17 (Throw) mr
Standards Brand	ANSI / BHMA A156.13	Latch bolt	Forged brass - 25 (H) x 15 (W) x 17 (Throw) mr with anti-friction trigger, reversible function
	ANSI / BHMA A156.13 UL approved for 3 hours fire resistance	Latch bolt Auxiliary Latch	Forged brass - 25 (H) x 15 (W) x 17 (Throw) mr with anti-friction trigger, reversible function Brass, simultaneously retracts with latch bolt
Brand	ANSI / BHMA A156.13 UL approved for 3 hours fire resistance Frascio	Latch bolt	Forged brass - 25 (H) x 15 (W) x 17 (Throw) mr with anti-friction trigger, reversible function Brass, simultaneously retracts with latch bolt Forged brass - 30 (H) x 13 (W) x 25 (Throw) m
Brand Model	ANSI / BHMA A156.13 UL approved for 3 hours fire resistance Frascio American Mortise lock set	Latch bolt Auxiliary Latch Dead bolt	Forged brass - 25 (H) x 15 (W) x 17 (Throw) mr with anti-friction trigger, reversible function Brass, simultaneously retracts with latch bolt Forged brass - 30 (H) x 13 (W) x 25 (Throw) m with two saw-proof hardened steel inserts
Brand Model Functions	ANSI / BHMA A156.13 UL approved for 3 hours fire resistance Frascio American Mortise lock set Main Entrance with escape function 64/70/90mm Knob hub to cylinder 87mm	Latch bolt Auxiliary Latch Dead bolt Strike plate	Forged brass - 25 (H) x 15 (W) x 17 (Throw) mr with anti-friction trigger, reversible function Brass, simultaneously retracts with latch bolt Forged brass - 30 (H) x 13 (W) x 25 (Throw) m with two saw-proof hardened steel inserts Forged brass, 124 x 32 x 2mm; various finishes
Brand Model Functions Backset Spacing	ANSI / BHMA A156.13 UL approved for 3 hours fire resistance Frascio American Mortise lock set Main Entrance with escape function 64/70/90mm Knob hub to cylinder 87mm Knob hub to turnpiece 57mm	Latch bolt Auxiliary Latch Dead bolt Strike plate Dust box	Brass, simultaneously retracts with latch bolt Forged brass - 30 (H) x 13 (W) x 25 (Throw) m with two saw-proof hardened steel inserts Forged brass, 124 x 32 x 2mm; various finishes With dust box in black
Brand Model Functions Backset Spacing Hub	ANSI / BHMA A156.13 UL approved for 3 hours fire resistance Frascio American Mortise lock set Main Entrance with escape function 64/70/90mm Knob hub to cylinder 87mm Knob hub to turnpiece 57mm Forged brass, split, 8mm square	Latch bolt Auxiliary Latch Dead bolt Strike plate Dust box Door thickness	Forged brass - 25 (H) x 15 (W) x 17 (Throw) mm with anti-friction trigger, reversible function Brass, simultaneously retracts with latch bolt Forged brass - 30 (H) x 13 (W) x 25 (Throw) m with two saw-proof hardened steel inserts Forged brass, 124 x 32 x 2mm; various finishes With dust box in black 50mm or Special on demand
Brand Model Functions Backset Spacing	ANSI / BHMA A156.13 UL approved for 3 hours fire resistance Frascio American Mortise lock set Main Entrance with escape function 64/70/90mm Knob hub to cylinder 87mm Knob hub to turnpiece 57mm	Latch bolt Auxiliary Latch Dead bolt Strike plate Dust box	Forged brass - 25 (H) x 15 (W) x 17 (Throw) mm with anti-friction trigger, reversible function Brass, simultaneously retracts with latch bolt Forged brass - 30 (H) x 13 (W) x 25 (Throw) m with two saw-proof hardened steel inserts Forged brass, 124 x 32 x 2mm; various finishes With dust box in black
Brand Model Functions Backset Spacing Hub	ANSI / BHMA A156.13 UL approved for 3 hours fire resistance Frascio American Mortise lock set Main Entrance with escape function 64/70/90mm Knob hub to cylinder 87mm Knob hub to turnpiece 57mm Forged brass, split, 8mm square	Latch bolt Auxiliary Latch Dead bolt Strike plate Dust box Door thickness Handing	Forged brass - 25 (H) × 15 (W) × 17 (Throw) mr with anti-friction trigger, reversible function Brass, simultaneously retracts with latch bolt Forged brass - 30 (H) × 13 (W) × 25 (Throw) m with two saw-proof hardened steel inserts Forged brass, 124 × 32 × 2mm; various finishes With dust box in black 50mm or Special on demand
Brand Model Functions Backset Spacing Hub Armored front	ANSI / BHMA A156.13 UL approved for 3 hours fire resistance Frascio American Mortise lock set Main Entrance with escape function 64/70/90mm Knob hub to cylinder 87mm Knob hub to cylinder 87mm Forged brass, split, 8mm square Forged brass, 201 x 31 x 4mm	Latch bolt Auxiliary Latch Dead bolt Strike plate Dust box Door thickness Handing	Forged brass - 25 (H) x 15 (W) x 17 (Throw) mr with anti-friction trigger, reversible function Brass, simultaneously retracts with latch bolt Forged brass - 30 (H) x 13 (W) x 25 (Throw) m with two saw-proof hardened steel inserts Forged brass, 124 x 32 x 2mm; various finishes With dust box in black 50mm or Special on demand
Brand Model Functions Backset Spacing Hub Armored front Product Description	ANSI / BHMA A156.13 UL approved for 3 hours fire resistance Frascio American Mortise lock set Main Entrance with escape function 64/70/90mm Knob hub to cylinder 87mm Knob hub to cylinder 87mm Forged brass, split, 8mm square Forged brass, 201 x 31 x 4mm <i>Cylinder in screw-in housing in brass, plated</i>	Latch bolt Auxiliary Latch Dead bolt Strike plate Dust box Door thickness Handing	Forged brass - 25 (H) × 15 (W) × 17 (Throw) mr with anti-friction trigger, reversible function Brass, simultaneously retracts with latch bolt Forged brass - 30 (H) × 13 (W) × 25 (Throw) m with two saw-proof hardened steel inserts Forged brass, 124 × 32 × 2mm; various finishes With dust box in black 50mm or Special on demand
Brand Model Functions Backset Spacing Hub Armored front Product Description Brand	ANSI / BHMA A156.13 UL approved for 3 hours fire resistance Frascio American Mortise lock set Main Entrance with escape function 64/70/90mm Knob hub to cylinder 87mm Knob hub to cylinder 87mm Forged brass, split, 8mm square Forged brass, 201 x 31 x 4mm Cylinder in screw-in housing in brass, plated Frascio	Latch bolt Auxiliary Latch Dead bolt Strike plate Dust box Door thickness Handing	Forged brass - 25 (H) × 15 (W) × 17 (Throw) mr with anti-friction trigger, reversible function Brass, simultaneously retracts with latch bolt Forged brass - 30 (H) × 13 (W) × 25 (Throw) m with two saw-proof hardened steel inserts Forged brass, 124 × 32 × 2mm; various finishes With dust box in black 50mm or Special on demand

Job Reference

Key residential projects in Hong Kong and Macau



AUB Limited

Unit A, 12/F., Hung Mou Industrial Building, 62 Hung To Road, Kwun Tong, Kowloon, Hong Kong

Tel: +852 2375 6110Fax: +852 2406 2602

Website : www.aub.com.hk Enquiry : enquiry@aub.com.hk