





ALB



**Control
The
Door**

**Door
Hardware**



About Us



Door Access Solutions for Commercial, Institutional and Residential projects in Hong Kong and Macau.

We are offering a wide portfolio of Products & Solutions including Automatic Doors, Windows & Entrance, Hardware & Interior Doors, Security Gates, Access Control and Industrial Doors.

Service is our Value - we provide Technical Advice & Customized Drawings, Ironmongery Schedules, Master Key Plans, Supply & Installation, Contracting, Training and Service & Maintenance programs and Sourcing.

We exclusively represent GILGEN Door Systems, a leading supplier of Automatic Door solutions from Switzerland.

Key partners include AIR-LUX Window Systems, the DOR-MAKABA Group, EFAFLEX High-Speed Doors, ABUS Security Tech Germany and TBS Biometric Solutions.

Our experienced team with its in-depth market knowledge, product know-how and business experience is driving AUB Ltd to become a leading brand in the Industry.

Content



Page 3 - 13

Lever Handle



Page 14 - 18

Min Entrance Lockset




Page 19 - 23

Lock Case



Page 24 - 28

Master Key Systems




Page 29 - 30

Glass Lock





Page 31 - 32

Industrial Lock




Lever Handle


ALB Allegra




Standard Finishes:




ALB Angioletta




Standard Finishes:





ALB Anna




Standard Finishes:




ALB Aria



Standard Finishes:




AUR Beatrice




Standard Finishes:




AUR Beds




Standard Finishes:




AUR Bershire




Standard Finishes:




AUR Bute



Standard Finishes:




ALB Cheshire




Standard Finishes:




ALB Chole




Standard Finishes:





ALB Claire




Standard Finishes:




ALB Durham



Standard Finishes:




AUB Edinburgh




Standard Finishes:




AUB Fife




Standard Finishes:




AUB Glam




Standard Finishes:





AUB Grampian








Standard Finishes:




ALB Humber








Standard Finishes:

-  PC
-  CR
-  PGO
-  SN
-  FBJ
-  BBH


ALB Koni









Standard Finishes:

-  PC
-  CR
-  PGO
-  SN
-  FBJ
-  BBH


ALB Kay









Standard Finishes:

-  PC
-  CR
-  PGO
-  SN
-  FBJ
-  BBH


ALB Kylie



Standard Finishes:

-  PC
-  CR
-  PGO
-  SN
-  FBJ
-  BBH


AUB Layla




Standard Finishes:




AUB Lincoln




Standard Finishes:





AUB Luca




Standard Finishes:




AUB Naples



Standard Finishes:




AUR Notts




Standard Finishes:




AUR Oxford




Standard Finishes:




AUR Piper




Standard Finishes:




AUR Riley



Standard Finishes:





AUB Sarah




Standard Finishes:




AUB Serena




Standard Finishes:




AUB Shetland




Standard Finishes:




AUB Tecla




Standard Finishes:




ALB Vivi









Standard Finishes:

-  PC
-  CR
-  PGO
-  SN
-  FBJ
-  BBH


ALB York









Standard Finishes:

-  PC
-  CR
-  PGO
-  SN
-  FBJ
-  BBH

ALB Zoey



Standard Finishes:

-  PC
-  CR
-  PGO
-  SN
-  FBJ
-  BBH



Frascio®



KAWAJUN



 **Randi**



halcö
Tradition + High-Tech



REGUCCI®
Handles & Accessories




HEWI

Main Entrance Lockset




AUB Residential Lock


Evelyn




Levi



Aurora





Ethan



Molly



Landen



Assemble your own lock

Press



Pull Handle



Turn Piece




Knob



Lever Handle



Standard Finishes:





CLAVIS



Made in Korea

Residential Digital Lock Fingerprint

CMF-1000K



ACCESS



Capacitive Fingerprint



* for CMF-1100K only


- Automatic Locking
- Internal Force Lock (Privacy Mode)
- Fake PIN Code (PIN Scramble)
- High Temperature Alert
- Burglar (Break-in/Damage) Alarm
- Wrong-Try Lock-Out
- Emergency Power Supply (9V)
- Residential / Commercial Mode
- Low Battery Notification
- One Time Manner Mode
- Volume Control
- Home Automation Interface (optional)
- Mechanical Key Override
- Up to 100 Fingerprints
- Up to 30 RFID Cards
- Up to 38 PIN Codes



EN1634-1

CLAVIS Residential Digital Lock


CM-1000K



- Automatic Locking
- High Temperature Alarm
- Burglar (Break-in/Damage) Alarm
- Wrong - Try Lock - Out
- Internal Forced Lock
- Fake PIN Code

- Silent Mode
- Advance Mode
- Volume Control
- Emergency Power Supply
- Low Battery Warning Signal


CM-1100K




- Automatic Locking
- One Touch To Open
- Compatible With Smart Phone
- High Temperature Alarm
- Burglar (Break-in/Damage) Alarm
- Wrong - Try Lock - Out
- Internal Forced Lock

- Fake PIN Code
- Silent Mode
- Advance Mode
- Volume Control
- Emergency Power Supply
- Low Battery Warning Signal

Standard Finishes:





Lock Case





Euro Lockcase Tech uC Sash Lock



Product Description

- Heavy Quality Europe Profile Mortise Lock



Function

- Entrance

Standard Finishes:



Euro Lockcase Tech uC Latch



Product Description

- Heavy Quality Europe Profile Mortise Lock

Function



- Passage

Standard Finishes:





Euro Lockcase Tech uC Dead Lock



Product Description

- Heavy Quality Europe Profile Mortise Lock



Function

- Dead Lock for Cylinder

Standard Finishes:



Euro Lockcase Tech uC Night Latch



Product Description

- Heavy Quality Europe Profile Mortise Lock

Function

- Night-latch

Standard Finishes:







Euro Lockcase Tech uC Bathroom



EN12209
EN1634-1



Product Description

- Heavy Quality Europe Profile Mortise Lock



Function

- Privacy

Standard Finishes:



Ansi Lockcase Tech B Entrance Function



Product Description

- Heavy Duty Mortise Lock With
Non-headed Design for Residential Use

Function

- Main Entrance
- Automatic Lock
- Emergency Egress

Standard Finishes:



Glutz

Security Mortice Lock



Standards

- Firetested by BRE up to 4 hours
- Certified ANSI/BHMA 156.13, grade 1, at ITS in USA
- EN 1634-1: EI 90
- EN 12209: 3X510F7HA30

Standard version

- With latch withdrawal
- Backset 60 mm
- Centres 72 mm for 4829 profile cylinder
- Centres 74 mm for 4839 round cylinder
- Forend 235x25 mm, radiused or rectangular
- Forend satin stainless steel
- Clamp follower 8 mm
- Antifriction lever latch
- Single throw deadbolt, 24 mm
- With anti-thrust latch

Glutz

High Security Multipoint Lock




Standards

- EN1634-1
- DIN18251-3
- EN1627-1630 RC4

Standard version

- PZ/RZ 78 mm: DM 60, 70, 80 mm
- PZ 72 / 92 mm: DM 65, 70, 80 mm
- PZ 88 mm: DM 65, 80 mm
- Matt stainless steel radiussed forend 20 x 3 mm
- 4-part clamp follower; square 8 / 8,5 / 9 / 10 mm
- Lock case compatible with Glutz protection fittings
- Smooth-running latch withdrawal for drawing back the latch
- Hardened main bolt; Shot out 20 mm
- Four additional hardened bolts; Shot out 20 mm
- Dampened, reversible DIN L + R comfort latch with latch blocking
- Simultaneous latch locking and lever handle disconnection, when locked



Master Key Systems

AUE Keying Combinations

Types of combinations


Keyed to Differ

Each can only be opened by its own individual key.



Keyed Alike

Allows for a number of locks to be opened by the same key. There is no limit to the number of locks that can be keyed alike.



Keyway


Schlage
Yale
Dimple

Keyway

Schlage
Yale
Dimple


Master Key Systems (MKS)

Each lock has its own individual key which will operate no other lock in the system. There is a master key which will operate all locks in the system.



Grand Master Key Systems (MKS)

Each lock has an individual key and the locks are divided into two or more groups. Each group of locks is operated by one Master Key with an overall Grand Master Key.



Keyway

Schlage
Yale

Keyway

Schlage
Yale

Master keying System can be applied across different cylinder types to enhance more design needs and security flexibility.

Definition of keys in Master Key Systems

Grand Master Key (GMK)

Such a key usually fits all cylinders with a master key system, excluding lockers for personal use

Master Key (MK)

This type of key is primarily used in systems with many individual keys and superimposed main group keys

Individual key (IK)

The individual key is at the bottom of the hierarchy. It is only possible to lock individual cylinders (perhaps a central cylinder as well)

Available cylinder type

Euro-profile Cylinder

Single Cylinder



Double Cylinder



Cylinder & Turn



Screw-in Cylinder




Rim Cylinder




dormakaba expert^T Euro-profile Cylinder


Single Cylinder




Double Cylinder




Cylinder & Turn




dormakaba ESZ 508-100-718 Screw-in Cylinder




dormakaba **experT** Screw-on Dead Lock MAS1012




dormakaba **experT** Screw-on Dead Lock MAS1074




dormakaba **experT** Screw-on Latch Lock MAS1075



dormakaba **experT** Flush Dead Lock MAS2006




dormakaba **experT** Flush Dead Lock MAS2006A



Glass Lock



ASSA ABLOY Vertis Lock for Euro profile cylinder




- For 8- 10 and 12 mm thick toughened glass
- Reversible
- Locked by key with forward motion of latch bolt
- Retractable latch bolt by key
- Supplied with flat keep

Fits 8-10 and 12mm Glass

Standard Finishes:

- Brushed anodised alu silver
- Brushed stainless steel

ASSA ABLOY Lumira Latch set with Handles



- For 8-10 and 12 mm thick toughened glass
- With spring and dead bolt

Fits 8-10 and 12mm Glass

Standard Finishes:


- Brushed anodised alu silver
- Brushed stainless steel

Outdoor Lock



LOCINOX

LAKQ U2 Outdoor Lock



- ISO 9227 KTL / E-coated lock box withstands 1000 hours of salt spray test
- Easy left or right changing of the self-latching daybolt
- 23 mm throw of the dead bolt, in 1 turn of the key
- Key-operated self-latching bolt
- 4-hole fixing with two hexagon socket head screws
- 60 mm center distance of the bolts
- Continuous adjustment of the daybolt up to 20 mm without dismounting the lock box
- Stainless steel mechanism

Standard Finishes:

ZILV 6005 6009 7016 9005 9010

Component



SAKL QF



SHKL QF



MODULEC-SA



3006M



3006I



3006D



KIDLOC



PUSHBAR-L-





Door Hardware Finish

Stainless Steel



PSS - Polished Stainless Steel Finish
(Full polish made on material surface)



SSS - Satin Stainless Steel Finish
(Highlined patten apply on material surface)



SSP- Satin Stainless Steel Finish with coating
(Highlined patten apply on material surface with anti fingerprint coating)

Brass



MP - Polished Brass Finish
(Full polish made on material surface)



SB - Satin Brass Finish
(Highlined patten apply on material surface)

Gold Finish



VXG - PVD Gold [X01]
(Champagne like PVD gold on polished surface)



VRG - PVD Rose Gold Finish
(PVD rose gold on polished surface)



VGD - Standard PVD Gold
(PVD gold on polished surface)



PGO - Polished Gold Finish
(Standard PVD gold on polished surface)



PGH - Hairlined Gold Finish
(Standard PVD gold on hairlined surface)

Nickel Finish



PN - Polish Nickel Finish
(Nickel plating on polished surface with semi-gloss sealing)



SN - Satin Nickel Finish
(Nickel plating on hairlined surface with semi-gloss sealing)



PES - Pearl Nickel Finish
(Peralize nickel plating on polished surface with semi-gloss sealing)

Chrome Finish



PC - Polished Chrome Finish
(Chrome plating on polished surface)



CR - Satin Chrome Finish
(Chrome plating on hairlined surface)



PEC - Pearl Chrome Finish
(Peralize chrome plating on polished surface)

Black Finish



JBP - Black Plating Finish
(Standard black on polished surface with semi gloss-sealing)



JBH - Hairlined Black Plating Finish
(Standard black on hairlined surface with semi gloss-sealing)



JBG - Polished Black Plating Finish
(Standard black on polished surface with gloss-sealing)



BB - Brush Black Finish
(Brush black on polished surface with semi gloss-sealing)



BBH - Hairlined Brush Black Finish
(Brush black on hairlined surface with semi gloss-sealing)



VBK - Polished PVD Black Finish
(PVD black on polished surface with semi gloss-sealing)



VBL - Hairlined PVD Black Finish
(PVD black on hairlined surface with semi gloss-sealing)

Bronze Finish



FBJ - Fresh Bronze [JR]
(Anti-bronze with crossing hairline pattern with semi-gloss sealing)



FBH - Fresh Bronze [HF]
(Anti-bronze with hairline pattern with semi-gloss sealing)



VDB - Dark Bronze Finish
(PVD bronze on polished surface with semi-gloss sealing)




REB - Red Bronze Finish
(Red bronze on hairline pattern with semi-gloss sealing)

Our Services




Ironmongery Schedule

We are preparing Schedules based on your Floor Plans and Design Intention for proposed or selected items to meet your requirements for each Door Mark. Our experienced Architectural Ironmongery Specialists work closely with you for any area of your project such as Typical Floor, Front of House, Back of House, Podium, Club House and others.



Master Keying System

We have an in-depth experience to provide Master Keysystems both for Residential and Commercial / Institutional Projects. Our Specialists are working on a sophisticated Software Platform to make our MKS proposals dynamic so that they can adapt to your growth and future needs in terms of Users, Doors and Access Rights. The Data and Masterkey Plans are stored confidentially as “Factory Systems” and can be retrieved for future use and Key Duplication. Our Masterkey Systems are based on Mechanical but also Mechatronic (Mix) or Electronic Credentials.



Product Customization

Our focus is not only on Proprietary Products but we can also conceptualize and prepare detailed Proposals for Customized Products & Solutions from our trusted Sources.



Sourcing

We are in constant contact with a large Pool of Suppliers, enabling us to source a wide range of Proprietary and Localized Products to meet your Needs and Requirements.



AUB Limited
Unit A, 12/F, Hung Mou Industrial Building,
62 Hung To Road, Kwun Tong,
Kowloon, Hong Kong
Tel : +852 2375 6110
Fax : +852 2406 2602
enquiry@aub.com.hk
www.aub.com.hk