




THE SOLUTION FOR EVERY APPLICATION

Teckentrup 62 modular steel doors



THE COMPANY

A SAFE PARTNER

The objective of Teckentrup UK Limited is straightforward; to lead the market with products that are compliant to all current standards, offer a best practice choice to the construction industry and, in doing so, become a safe partner.

SCALE

Teckentrup UK Limited is part of the Teckentrup group of companies. Incorporated over 80 years ago, Teckentrup is a family business and one of the largest steel door producers in Europe, employing 950 people and operating from 1.1m sqft of manufacturing space on two sites in Germany.

INVESTMENTS

Teckentrup maintains a dynamic approach to product improvement and new developments through continual annual investment. In addition, every ten years, Teckentrup invests 40% of annual revenues in fixed asset expansion.

PERFORMANCE STANDARDS

Systematic testing of products to current and new performance standards is central to Teckentrup's commitment to compliance at all times with the statutory and mandatory requirements of UK Building Standards and Harmonized European Product Standards and Norms. Products are CE marked in accordance with current CPR legislation.

RESPONSIBILITY

Teckentrup takes very seriously its responsibility to ensure products are tested to the performance standards claimed and are suited to the performance and functional requirements specified. This is of prime importance when dealing with life safety products, such as fire rated doors and emergency exits. Teckentrup considers upholding standards as a powerful tool to demonstrate the capability and strength of its business.

Teckentrup GmbH & Co. KG,
Verl-Sürenheide



Teckentrup UK Limited, Warrington



Factory Verl




Factory Großoberitz



BUSINESS PROCESSES

ISO 14025 & EN15804
Environmental Product
Declaration
DIN EN ISO 9001
Quality management

DIN EN ISO 14001
Environmental
management
DIN EN ISO 50001
Energy management



Contents

THE MODULAR CONCEPT	P4
SECURITY	P6
FIRE PROTECTION	P8
THE COMPLETE PACKAGE	P10

MADE
IN
GERMANY



LPS 1175 C5 (SR3) with BS EN 1125 escape hardware

DOOR SOLUTIONS

Teckentrup's approach is solution driven. "Door Solutions" is all about answering the decisive question: What is the right solution for you?

Teckentrup has decades of product design, development, manufacturing and installation expertise. We partner your project with sound advice and compliant products.

Aesthetics and functionality requirements are uniquely met with products that may have widely varying characteristics but harmonise with your design objectives.

Fire and smoke protection, security, thermal, acoustic, whatever the individual or combined requirement, Teckentrup will provide a door package to deliver your optimum solution.



SMART & MODULAR

MULTI-PERFORMANCE CAPABILITY

Most companies talk about their security door range or their fire door range...

...At Teckentrup we talk about the Teckentrup 62, one door configurable to multiple performance characteristics.

How do we do this? Teckentrup takes a modular approach to manufacturing doors. Teckentrup's automated parametric production lines use a precision-made base platform door, into which the required performance characteristics are built.


Why do we do this? Modular manufacturing is a highly effective means of applying volume manufacturing techniques. High versatility and optimum efficiency is the result that allows Teckentrup to offer Teckentrup 62s' superior performance into a competitive market.

What does this mean for the Teckentrup 62? Multiple attributes such as fire resistance, security, and sound attenuation are available in one door, certified and compliant to the required specification. Certification is not for separate products but the specified characteristics in one door.


Just the door? Vision panels, louvres and hardware variations such as EN179 and EN1125 panic escape are all part of the same certified product package.

What about installation? The installation environment is also considered with frame profiles and fixing options to suit all wall types and installation scenarios.


62




Selecting multiple characteristics in a door is what the Teckentrup 62 and modular design is all about...




CERTIFIED COMPLIANT



The Teckentrup 62 modular system
 Our modular system gives you more than 400,000 possible combinations. But most important is the one that meets all your needs - your ideal door.



LPS 1175 Issue 8 Security Rating A1 (SR1) to D10
 LPS 2081 Security Rating A + B



BS EN 1627-1 Security rating RC2, RC3, RC4



BS EN 1522 Bullet proof rating FB4



certifire

BS EN 1634-1 achieving 120 minutes fire integrity and 60 minutes fire insulation



BS EN 1634-3 Smoke protection S



BS EN 10140 / EN 717 rating up to 44dB



BS EN 12211 pressure 7000Pa max



BS EN ISO 12567-1 achieving a UD value of 1.1 W/m²K°



BS EN 179 & BS EN 1125 Panic functions

BS EN 12207 for air permeability achieving Class 2/4* for a single and Class 1/3* for a double leaf door
 * Single point/Multi-point locking

BS EN 12208 for water tightness achieving Class 7A for a single and Class 6A for a double leaf door

BS EN 12210 for wind resistance achieving Class 3/5 for a single and Class 1/3 for a double leaf door

A Teckentrup 62 insulated door set fitted with heavy duty 'KO' hinge has been tested to BS EN1191 for repeated opening and closing to C5 level - 200,000 cycles

All parameters subject to size restrictions and may require special equipment.



SECURE?

What does security mean?

Without certified test evidence of performance, any claims for a doors' security are unproven. Teckentrup 62 doors have been tested to all the widely recognised standards including the new LPS 1175 issue 8.



Teckentrup 62 can be configured to withstand physical attack for varying periods of time with a variety of attack tools. The longer the attack time and the more aggressive the tools used, the higher the security rating.

Are all standards the same?

No. Each standard has differences, however they address the same issues of tools and time, each in a slightly different way.

Standards also address the type of attack - LPS 1175 categorises attacks regardless of the noise made, whilst LPS 2081 categorises attacks made with minimal noise, "stealth" attacks. BS EN 1627-1 categorises for stealth on RC2 & RC3 and RC4 regardless of noise.

LPS 1175 Issue 8

Teckentrup 62 has been tested to Issue 8 of the standard. The bracketed rating, e.g. (SR1) provides the equivalent under Issue 7 where applicable.

The commonly required security levels, along with the typical applications are shown on the facing page. The standard has more extended times and tool kits, however as, apart from highly specialised applications, LPS 1175 D10 (SR4) is generally the highest requirement and we've limited the listing up to this level.





STAINLESS STEEL


Stainless steel creates striking combinations of form and light. Its surface structure shapes the look of interiors with shiny and matt surfaces to create interesting visual effects.

The choice of surfaces are circularly ground (marbled) or 240 grit honed. (Linen surface texture on request).


The use of different stainless steel qualities depends on the environmental conditions at the place of use, e.g. contact with alkalis, acids etc., and must be specified when ordering.

Materials available:

- Standard V2A steel (material No. 1.4301)
- V4A steel (material number 1.4571) at higher requirements for chemical resistance or resistance to aggressive environmental influences.



Surface circular ground (marbled)



Surface honed (240 grain)



SAFELY AND RESPONSIBLY BUILT

The responsible use of natural resources is important to us. We support you in your environmentally-compatible and sustainable construction projects.

This is why all of our products are certified in accordance with the Environmental Product Declaration (EPD). A seal of quality which supplies all information on the life cycle and ecological assessment for the current building certification systems.



DGNB

Deutsche Gesellschaft für Nachhaltiges Bauen
e. V. German Sustainable Building Council

BNB

Bewertungssystem Nachhaltiges Bauen

LEED

Leadership in Energy and Environmental Design

BREEAM

Building Research Establishment Environmental Assessment Methodology



AUB Limited
Unit A, 12/F, Hung Mou Industrial Building,
62 Hung To Road, Kwun Tong,
Kowloon, Hong Kong
Tel : +852 2375 6110
Fax : +852 2406 2602
enquiry@aub.com.hk
www.aub.com.hk



Raising Standards
Safety Assured



CONTRACTORS HEALTH & SAFETY ASSESSMENT SCHEME
Accredited Contractor
www.chas.co.uk



Member

October 2019. As ours is a policy of progressive design, we reserve the right to alter specification without prior notice. Errors and omissions excepted.