

3D CONCEALED HINGES



Made in France



GENERAL FINISHING



COPPER



BRONZE



BRASS



OLD BRASS



SATIN BRASS



NICKEL



NICKEL SATIN



SPECIAL BRONZE



CHROME SATIN



WHITE MATT



CHROME




BLACK MATT

ESTETIC 80/A





Load capacity ESTETIC 80/A

		Width of doors			
	Number of hinges	700	800	900	1000
Load	2	103 kg	90 kg	80 kg	72 kg
	3	115 kg	100 kg	90 kg	81 kg
Capacity	4	129 kg	113 kg	100 kg	90 kg



Minimum GAP "G"

		Width of doors			
	Thickness of doors "G"	700	800	900	1000
Minimum	40	3	2	2	2
GAP "B"	50	3	3	2	2




ESTETIC 100M




Load capacity ESTETIC 100M

		Width of doors			
	Number of hinges	700	800	900	1000
Load	2	129 kg	113 kg	100 kg	90 kg
	3	145 kg	127 kg	113 kg	101 kg
Capacity	4	161 kg	141 kg	125 kg	113 kg




Minimum GAP "G"

		Width of doors			
	Thickness of doors "G"	700	800	900	1000
Minimum	40	2	2	2	2
GAP "B"	50	3	2	2	2
mm	60	4	3	3	3




ESTETIC 100Me

ELECTRIC HINGE



Load capacity ESTETIC 100Me


		Width of doors			
	Number of hinges	700	800	900	1000
Load	2	129 kg	113 kg	100 kg	90 kg
	3	145 kg	127 kg	113 kg	101 kg
Capacity	4	161 kg	141 kg	125 kg	113 kg



Minimum GAP "G"


		Width of doors			
	Thickness of doors "G"	700	800	900	1000
Minimum	40	2	2	2	2
GAP "B"	50	3	2	2	2
mm	60	4	3	3	3

39



ESTETIC 100Me

ELECTRIC HINGE




ESTETIC 200





Load capacity ESTETIC 200

		Width of doors			
	Number of hinges	700	800	900	1000
Load	2	257 kg	225 kg	200 kg	180 kg
	3	289 kg	253 kg	225 kg	203 kg
Capacity	4	321 kg	281 kg	250 kg	225 kg



Minimum GAP "G"

		Width of doors			
	Thickness of doors "G"	700	800	900	1000
Minimum	40	4	4	3	3
GAP "B"	60	5	4	4	4
mm	80	6	6	5	5





Unit A, 12/F, Hung Mou Industrial Building,
62 Hung To Road, Kwun Tong,
Kowloon, Hong Kong

Tel : +852 2375 6110
Fax : +852 2406 2602

Email : enquiry@aub.com.hk
www.aub.com.hk